Application No.	Applicant(s)
10/665,247	BOHRER, TIMOTHY
Examiner	Art Unit
Hemant M Desai	3721

Notice of Allowability	Examiner	Art Unit	
	Hemant M Desai	3721	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apported or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>amendment filed on 6</u>	<u>/23/2004</u> .		
2. The allowed claim(s) is/are 29-62,64 and 65.			
3. \boxtimes The drawings filed on <u>18 September 2003</u> are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have * Certified copies of the priority documents have Copies of the certified copies of the priority documents have The priority documents	been received. been received in Application No cuments have been received in this	national stage applica	
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER s reason(s) why the oath or declara	'S AMENDMENT or N tion is deficient.	OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the paper of the pape	on's Patent Drawing Review (PTO- Amendment / Comment or in the Constant of the Constant of the Constant of the Grawing to 37 CFR 1.121(constant of BIOLOGICAL MATERIAL name of the Constant of the Con	Office action of ngs in the front (not the d). nust be submitted. N	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0-Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	·

PRIMARY EXAMINER

Application/Control Number: 10/665,247 Page 2

Art Unit: 3721

Cancel claim 61.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Tracey Beiriger on 7/14/2004.

The application has been amended as follows:

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hemant M Desai whose telephone number is (703) 308-5830. The examiner can normally be reached on 7:00 AM-5: 30 PM, Mon-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I. Rada can be reached on (703) 308-2187. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/665,247

Art Unit: 3721

Hemant M Desai Examiner Art Unit 3721

HMD

EUGENE KIM PRIMARY EXAMINER

Gene E